


fungicidally effective amounts of:

(a) a first active agent selected from the group consisting of

1 part by weight of

(i) a monoester salt of a phosphorous acid of Formula

(I):



wherein: R is an alkyl radical having 2 to 4 carbon atoms,

Me is an alkali metal, alkaline earth, or aluminum atom, and

n is a whole number from 1 to 3 equal to the valence of Me; and

(ii) phosphorous acid or an alkali or alkali earth metal salt thereof; and

(b) from 0.01 to 0.1 parts by weight of a phthalocyanine compound,

wherein said method does not include the application of an

ethylenebisdithiocarbamate contact fungicide [the fungicide mancozeb].

10. (thrice amended) A fungicidal composition for enhancing turf quality


wherein the active material present in synergistic fungicidally effective

amounts consists essentially of

(a) 1 part by weight of a first active agent selected from the group

consisting of

(i) a monoester salt of a phosphorous acid of Formula (I):



wherein:

R is an alkyl radical having 2 to 4 carbon atoms,

Me is an alkali metal, alkaline earth, or aluminum atom, and

n is a whole number from 1 to 3 equal to the valence of Me; and

(ii) phosphorous acid or an alkali or alkali earth metal salt thereof; and

(b) from 0.01 to 0.1 parts by weight of a phthalocyanine compound,

wherein the composition does not include an ethylenebisdithiocarbamate contact fungicide [the fungicide mancozeb].

24. (amended) A method of combatting fungi and enhancing turf quality in turfgrass which comprises applying to said turfgrass synergistic fungicidally effective amounts of:

(a) 1 part by weight of a first active agent selected from the group consisting of phosphorous acid or an alkali or alkali earth metal salt thereof; and

(b) from 0.01 to 0.1 parts by weight of a phthalocyanine compound,
wherein said method does not include the application of an ethylenebisdithiocarbamate contact fungicide.

32. (amended) A fungicidal composition for enhancing turf quality wherein the active material present in synergistic fungicidally effective

amounts consists essentially of :

- (a) 1 part by weight of a first active agent selected from the group consisting of phosphorous acid or an alkali or alkali earth metal salt thereof; and
- (b) from 0.01 to 0.1 parts by weight of a phthalocyanine compound, and wherein the composition does not include an ethylenebisdithiocarbamate contact fungicide.